

Zero
Client



C75

PROFILE

Centerm **zero client C75** is a specialized solution for accessing **Windows Multipoint Server™, Useful Multiseat™ linux and Monitors Anywhere.** Without local operating system and storage, C75 presents server desktop and applications perfectly to users once it is powered on and connected to the server.

CERTIFIED BY



FEATURES

01 Specialized zero client

Excellent accessing device specially designed for Windows MultiPoint Server™, Useful MultiSeat™ Linux and Monitors anywhere.

02 Low cost solution

Low price, low power consumption and no maintenance guarantee the low cost.

03 High performance

Full-HD multimedia and good quality voice supported.





04 Compact, flexible & secure

Small size, fan-less design, VESA mountable, anti-theft kensington lock.

05 Environment friendly

Low CO2 emission, low heat emission, noise-free and space saving.

CONNECTIVITY



1. Kensington Lock
2. Reset
3. Mic-in
4. Line-out
5. VGA Port
6. HDMI Port
7. LAN Port
8. Power Switch
9. USB Port
10. DC Port
11. LED Light

SPECIFICATION

Chipset	SoC
Available Operating System	N/A
Server OS Support	Windows Multipoint Server, Useful Multiseat Linux, Monitors Anywhere
Storage	N/A
Display	VGA x 1 (Dsub -15), HDMI x 1
Resolution	2048x1152@60Hz (VGA) 1920X1080@60Hz (HDMI)
LAN	x1 (10/100/1000 Base-T Fast Ethernet, RJ-45)
USB 2.0	x 4
RJ-45	x 1
Audio	Line-out x 1 , Mic-in x 1, (1/8-inch mini jack)
Dimension	93.5mm x 93.5mm x 20.4mm
Packaging	0.63kg
Net Weight	0.2kg
Adapter	Worldwide auto-sensing 100-240V AC, 50/60 Hz, 5V/3A DC
Power Consumption	3.3w
VESA Bracket	VESA Mounting Kit
Kensington Lock	Built-in Kensington Lock Slot
Cooling	Fan-less Convection
Operation Temperature	0°C to 40°C
Relative Humidity	30% to 90% non-condensing

Learn more visit www.centerm.com

Follow us   