Centerm

Thin
Client

D610

Centerm
Centerm

PROFILE

D610 is a highly efficient and powerful thin client for both local computing and Microsoft, Citrix, VMware virtual desktop environments. It has a zero-client style desktop with TOS or a Windows style desktop with WES&Win10.

CERTIFIED BY

RoHS FC CE

IC ENERGY STAR

Build No. 20220107

FEATURES

01 Cost-effective

Low price and high performance with intel quad core CPU.

02 High reliability, No moving parts

MTBF 40,000 hours, fanless cooling.

03 Low power consumption

A green product with low power consumption and low CO2 emission.

04 Multiple interfaces

4 serial port, 1 parallel port, 1 USB 3.0 port, 5 USB 2.0 port, 1 DVI-I port.

05 Multiple VDI protocol supported

Widely supports Citrix ICA/HDX, VMware PCoIP and RDP.

CONNECTIVITY

Front



1. Power Button
2. USB 2.0 Port
3. Mic-in
4. Line-out
5. USB 3.0 Port

Rear



6. DC 12V Input
7. PS/2 Keyboard
8. PS/2 Mouse
9. Serial Port
10. DVI-I Port
11. Parallel Port
12. RJ-45
13. Kensington Lock Slot

SPECIFICATION (standard)

Processor	Intel quad core 2.0GHz;
Available Operating System	WES7 / WIN 10 IOT / TOS[1]
Protocol	Citrix Receiver / VMware view / RDP client
Management	CDMS[2]
RAM (DDR3L)	2GB
Storage (SSD)	8GB
Display	DVI-I x 1 (DVI-to-VGA adapter included)
Resolution	DVI-I:1920x1200 @ 60Hz (DVI)
Color Depth	32 bits
Dual Display	Support
LAN	x 1 (10/100/1000 Base-T Fast Ethernet, RJ-45)
USB 2.0	x 5 (1 in front, 4 in rear)
USB 3.0	x 1
Serial Port	x 1 (extensible to 4 via cable)
Parallel Port	x 1
PS/2 Port	x 2
Audio	Line-out x 1 , Mic-in x 1
Dimension / Packaging	206mm x 48mm x 215mm (no stand included) 206mm x 83mm x 223mm (stand included)
Net Weight	1.2 kg
Adapter	Worldwide auto-sensing 100-240V AC, 50/60 Hz, 12V/3A DC
Power Consumption	< 15w
Stand	Vertical feet standard
Security	Standard Kensington anti-theft keyhole
Cooling	Fan-less Convection
Operation Temperature	0℃ to 40℃
Relative Humidity	30% to 90% non-condensing

1. TOS: terminal operating system (Linux)
2. CDMS: Cinfin desktop management system

Learn more visit www.centerm.com

Follow us

© Fujian Centerm Co., LTD. The information contained herein is subject to change without notice. Centerm shall not be liable for technical or editorial errors or omissions contained herein.

SPECIFICATION (optional)

Processor	Intel dual core 2.41GHz
RAM (DDR3L)	Available at 8GB
Storage	1 * SATA
Display	1 x DP (1920x1200@60Hz)
Network	Additional 1 x (10/100/1000 Base-T Fast Ethernet, RJ-45) 1 x Mini-PCIE wireless module
Mounting	VESA mounting kit

Learn more visit www.centerm.com

Follow us

© Fujian Centerm Co., LTD. The information contained herein is subject to change without notice. Centerm shall not be liable for technical or editorial errors or omissions contained herein.