

Thin
Client

TS660



TPM



Triple display

PROFILE

Based on Trusted Computing Technology, Centerm TS660 provides a security solution for sensitive computing environments and giving businesses a layer of protection for company data with Trusted Platform Module (TPM). Meanwhile, 12th Gen Intel® Core™ processors offer a unique combination of Performance and Efficient-cores, taking part on more fluent and better experience with unprecedented new performance hybrid architecture

FEATURES

01 12th Gen Intel® Core Processors

12th Gen CPU given a efficient performance for multi-tasking as what you always want

02 System Protection

Support system restore protection and one-key reset, which can avoid end users breaking their systems.

03 Centralized Management


CDMS provides centralized management, including remote configuration, patch updating, system maintenance, print management, application issue.

04 Excellent scalability

COM port expandable, inner m.2 for storage and WiFi adaptor; TPM2.0 supported


CONNECTIVITY

Front



1. Power button
2. Mic-in
3. Line-out
4. USB 3.0 ports

Rear



- | | |
|-------------------|---------------------|
| 5. DC input | 10. HDMI port |
| 6. PS/2 interface | 11. RJ-45 |
| 7. COM port | 12. USB 3.0 ports |
| 8. Parallel port | 13. USB 2.0 ports |
| 9. VGA | 14. Kensington Lock |

SPECIFICATION

Processor	Intel i3 quad core 3.3GHz
Available Operating System	WIN 10 IOT
Protocol Clients	Citrix receiver/ RDP client / VMware™ Horizon View™ Client
Management	CDMS ¹
RAM (DDR4)	8GB
Storage (SSD)	256GB
Display	VGA, HDMI
Resolution	VGA:1920x1200@60Hz; HDMI:4096x2160@60Hz
LAN	x 1 (10/100/1000Mbps,RJ45)
USB 2.0	x 4
USB 3.0	x 4
Serial Port	x 1 (extensible to 4 via cable)
Parallel Port	x 1
PS/2 Port	x 2
Audio	Line-out x 1 , Mic-in x 1
Dimension (mm)	206×48×215 (without stand) 206×83×223 (with stand)
Adapter	World-wide auto-sensing 100-240V AC, 50/60 Hz, 19V/6.32A DC
TDP	60w
Mountings	Vertical feet standard
Net Weight	1.37 kg
Security	Standard Kensington lock
Operation Temperature	0°C to 40°C
Relative Humidity	30% to 90% non-condensing

Optional items

Processor	Intel i5 hexa core 3.0 GHz Intel i7 dodeca core 2.1GHz
RAM (DDR4)	Available at 64GB
Storage	1 x internal m.2 & SATA
Display	1 x Type-C
Networking	Additional 1 x (10/100/1000Mbps,RJ45) 1 x m.2 wireless
TPM Module	2.0

1. CDMS: Cinfim desktop management system